The Avera 48 fire pit is handmade by Dekko in North America. Ships with your choice of NG or LP burner, one decorative aggregate option and chrome On/Off key.

Size: $48\text{"W} \times 25\text{-}3/4\text{"D} \times 16\text{"H}$ CSA/UL Approved Burner Assembly



	Manual Ignition	Electronic Ignition
BTU/Hr	65,000	115,000
Weight	145 lbs	145 lbs
Fuel Options	NG/LP	NG/LP

Optional Accessories:

Propane Tank Cover 16"W x 16"D x 21"H Glass Wind Guard 43"W 15"D x x 6"H

Vinyl Weather Cover

Powder Coated Aluminium Table Top $48"W \times 25-3/4"D$

Colour Options







NATURAL

ASH

SANDSTONE

CHARCOAL

Decorative Aggregate Options









IVORY BEACH STONE


SLATE BEACH STONE


BLACK LAVA ROCK





PERSPECTIVE VIEW





Min 54" - Max 144"

Clearances

Residential or Commercial Building on no more than 2 sides.

Overhead solid structure:

Solid structure or combustible on no more than 2 sides.

- 12" minimum clearance for noncombustible materials.


Note

Deck Installation - a deck insulation kit is required when installing the fire pit on a wood or composite deck. Kit includes basalt material and instructions.

Burner Assembly


1000

37" Match Lit Burner



Clearances

Overhead solid structure: (Floor, overhang, pergola or screen)



Solid structure or combustible on no more than 2 sides.

- 12" minimum clearance for noncombustible materials.

Note: use with portable LP tanks.

Electronic ignition burners require a fixed piping gas supply. Not for

Deck Installation - if installing fire pit on a wood or composite deck, it is required to use the deck insulation kit. Kit includes basalt material and instructions.

Burner Assembly

Electrical:

120V Outdoor receptacle required. Must be installed and grounded in accordance with local codes.

37" Electronic Ignition Burner

