The Sonoma fire pit is handmade by Dekko in North America. Ships with your choice of NG or LP burner, one decorative aggregate option and chrome On/Off key.

Size: 72"W x 33"D x 16"H CSA/UL Approved Burner Assembly



	Manual Ignition	Electronic Ignition
BTU/Hr	65,000	150,000
Weight	215 lbs	215 lbs
<b>Fuel Options</b>	NG/LP	NG/LP

### Optional Accessories:

Propane Tank Cover 16"W x 16"D x 21"H Glass Wind Guard 55"W x 15"D x 6"H

Vinyl Weather Cover

Powder Coated Aluminium Table Top 72"W x 33"D

## Colour Options







NATURAL

ASH

SANDSTONE

CHARCOAL

## **Decorative Aggregate Options**









IVORY BEACH STONE


SLATE BEACH STONE


BLACK LAVA ROCK






PERSPECTIVE VIEW







Clearances



Min 54" - Max 144"

Solid structure or combustible on no more than 2 sides.


- 12" minimum clearance for noncombustible materials.

#### Note

Deck Installation - a deck insulation kit is required when installing the fire pit on a wood or composite deck. Kit includes basalt material and instructions.

Burner Assembly

49" Match Lit Burner





Residential or

Commercial


Building on

2 sides.

no more than

Clearances:

# Overhead solid structure: (Floor, overhang, pergola or screen)



Solid structure or combustible on no more than 2 sides.

- 12" minimum clearance for noncombustible materials.

Note: Electronic ignition burners require a fixed piping gas supply. Not for use with portable LP tanks.

#### Note:

Deck Installation - if installing fire pit on a wood or composite deck, it is required to use the deck insulation kit. Kit includes basalt material and instructions.

**Burner Assembly** 

Electrical:

120V Outdoor receptacle required. Must be installed and grounded in accordance with local codes.

49" Electronic Ignition Burner

